



562-692-5911  
562-695-2323 (fax)  
la.sales@mcmaster.com




## Certificate

<b>Purchase Order</b> PO26211761	<b>Order Date</b> 5/27/2026	<b>Placed By</b> Christopher Berger	<b>McMaster-Carr Number</b> 8018292-01	<b>Number of Certificates</b> 1
-------------------------------------	--------------------------------	---	---	------------------------------------

Line	Product	Ordered	Status	Certificate
5	97654A377 18-8 Stainless Steel Flanged Button Head Screw, M5 x 0.8 mm Thread, 12 mm Long	2 packs	2 packs deliver May 29	317-5554

**PO# QQQ204431 PN# 31-MFB-5-12 LOT# 503452**



**DiFruscia Industries Inc**

1425 Cranston Street  
 Cranston, RI 02920  
 United States  
 Phone: (401)943-9900  
 Fax: (401)943-2000

**Certificate of Conformance**

**To:** Fall River Mfg. Co.  
 540 Currant Road  
 Fall River, MA 02720  
 United States

**From:** DiFruscia Industries Inc  
 1425 Cranston Street  
 Cranston, RI 02920  
 United States

<b>Packing List No:</b>	75264	<b>Today's Date:</b>	10/23/2024
<b>Shipping Date:</b>	10/23/2024	<b>PO Number:</b>	40285

<u>Quantity Shipped</u>	<u>Unit</u>	<u>Description</u>	<u>Revision</u>	<u>Job Number</u>
228	LB	M5 X 12 BUTTON SOCKET Button Socket (302) Lot#:503452 Passivate Per A 967		67203-01
1	EA	Nitric Acid 25 To 50% By Volume, 70 To 90 Deg F For 30 Minutes CERT FEE REACH AND ROHS COMPLIANT All materials used are in accordance to the applicable specifications, all prescribed processes have been met and all inspections and tests were successful and passed		67203-02

Authorized Signature  
 DiFruscia Industries Inc

PO# QQQ204431 PN# 31-MFB-5-12 LOT# 503452



**Precision Metal Services, Inc.**  
 418 Stump Road, Montgomeryville, PA. 18936  
 Phone: (215)661-0225, 1-800-635-4885 Fax: (215)661-0366  
 Email: pms@precisionmetalservices.com  
 Website: www.precisionmetalservices.com

**MATERIAL TEST REPORT**

1041794

<b>SOLD TO:</b> FALL RIVER MFG 540 CURRANT ROAD FALL RIVER, MA 02720	<b>SHIP TO:</b> FALL RIVER MFG CO, INC. 540 CURRANT ROAD FALL RIVER, MA 02720
---	--

Heat Number	Product Description	Certificate No	Certificate Date
101484	SRC 302HQ 9% NI MIN .2240" x Coil, COATED	A1121214005	12/15/23

Sales Order	Salesperson	Customer PO	Contact	Country Of Origin
W028742	MP4/DCP	16138	DAVE MONTI	TAIWAN

**Chemical Analysis (Weight %)**

C	Mn	P	Si	S	Cr	Ni	Mo	Cu	Co	V	Ti
0.0120	0.7100	0.0340	0.3200	0.0010	17.6300	9.5200	0.1700	3.4000			

Cb	N	Pb	Al	Fe	Cb+	Mg	B	Zn	Sn	Bi	Se
	0.0120										


**Mechanical Properties**

Yield Strength	Tensile Strength	% EL	% RA	Hardness	Grain Size
26.7 KSI (184.09 MPA)	67.3 KSI (464.02 MPA)	51%	81%	HV 145	5.00

**Other Tests / Remarks**

SEMI FINISH PRODUCT HS 7218.99 NO MERCURY WELD RADIATION  
 NO OTHER RADIOACTIVE ELEMENTS ASTM A262 PRACTICE E ASTM  
 A580 A493 CHEM ONLY ASTM A493 ASTM A262 ASTM -A555/580  
 GAGE EL 3.937 INCHES MELT/HRAP/CAST TAIWAN NO RUSSIAN BELARU  
 SIAN STAINLESS STEEL BILLET CERT USED CWHF 93 AMS QQS763

Material Manufactured in Accordance with Order Requirements.

Quality Control Manager:   
 Michael J. Walter

Date: 08/05/24 11:17:23 HLR

PO# QQQ204431 PN# 31-MFB-5-12 LOT# 503452



**品質證明書**  
INSPECTION CERTIFICATE  
(PHYSICAL AND CHEMICAL CERTIFICATES)

032108

820403 高雄市岡山區白米里寶來路 389 號  
NO. 389, Bao mi Rd., Bai mi Village, Gangshan  
Dist., Kaohsiung City 82058, Taiwan, R.O.C.  
TEL: (07)611-1111(10 Lines), FAX: (07)625-1280

客戶名稱 PRECISION METAL SERVICES, INC. 418 STUMP RD. MONTGOMERYVILLE, PA 18936		發票號碼 FA0095		交還日期 14/12/2023						
地址 Stainless steel hot rolled, annealed, pickled wire rod DESCRIPTION: AISI STAINLESS STEEL WIRE ROD, HOT ROLLED, ANNEALED AND PICKLED		證明書編號 A1121214005		證明書日期 15/12/2023						
規格 302HQ										
訂購編號 Order No.	規格 Dia. (mm)	製鋼廠 Roll. No.	爐號 Heat No.	數量 Qty	重量 Weight (kg)					
HAWB0601	5.70	DB1921	101484	5	7.834					
					7.839					
化學成分 (Chemical Composition) (%)										
	C	Si	Mn	P	S	Ni	Cr	Mo	Ca	N
	0.030	1.00	2.00	0.045	0.030	10.00	19.00	8.00	17.00	3.00
	0.012	0.32	0.71	0.034	0.001	9.52	17.63	0.17	3.40	0.012
以下空白 blank below										
機械性質 (Mechanical Properties)										
條件 TS	抗拉 TS	屈服 EL	伸長率 EL	硬度 RA	硬度 HRd	晶粒 Grain Size				
	184	464	51	81	145	5				
<p>1. 茲證明本產品均係材料規格製造及測試，並符合規定之要求。</p> <p>2. 本產品係熱軋鋼(鋼號係字第 204 號)。</p> <p>3. 本報告不得為複製。</p> <p>4. 本報告係根據材料規格製造及測試，並符合規定之要求。</p> <p>5. 本報告不得為複製。</p>										
<p>1. We hereby certify that the material described herein has been manufactured and tested with satisfactory results in accordance with the requirements of the above material specification.</p> <p>2. The material is free from radiation contamination. Atomic Energy Council: No. 204</p> <p>3. This report can not be partially copied.</p>										
<p>備註 Remarks:</p> <p>1. This material, stainless steel wire rod, CN code: 7221 00, is made in Taiwan, no Russian and Belarusian stainless steel billet was used.</p> <p>2. ASTM A562 PRACTICE E, ASTM A580 and ASTM A493 - Chemistry only. ASTM A450 ASTM A262 ASTM A-565/580.</p> <p>3. Gauge length of elongation measurement: 3.937inches. The materials are melted in TAIWAN. 101484: 68MF 93</p> <p>4. This inspection certificate is issued according to EN 10204 3.1. Above material meet the requirement of ASTM A493 &amp; AWS D66768</p> <p>5. We hereby certify that the material is no weld does not insert Hg(mercury) during the production process and no other radioactive elements.</p> <p>Product NS Code: 7221 00</p> <p>Place of hot rolling, annealing and pickling: Taiwan, Facility: Yieh Hsing Enterprise Co., LTD</p>										
<p>技術部主管 Manager of Technology Division Po-Chih Lee</p>										